

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	16	invers\$3 near5 logic\$3 near4 rul\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/14 10:06
L2	33	(invers\$3 revers\$3 opposit\$3) near5 logic\$3 near4 rul\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/14 10:10
L3	168	(invers\$3 revers\$3 opposit\$3) near5 logic\$3 same rul\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/14 10:10
S1	21	printer\$3 near5 (set\$4 configur\$4) near6 conflict\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/14 10:03
S2	2	"5500715".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 17:17
S3	1	S2 and (conflict\$4 and deconflict\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 17:31
S4	1	S2 and (stor\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 17:18
S5	1	S2 and (user near5 interfac\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 17:18
S6	0	S2 and (input\$4 near9 user near5 interfac\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 17:18

EAST Search History

S7	1	S2 and (set\$4 near9 user near5 interfac\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 17:19
S8	1	S4 and S3 and S5 and S7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 17:21
S9	1	S8 and chang\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 17:27
S11	1	S2 and (chang\$3 same print\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/11 17:28
S12	67	conflict\$4 near5 process\$3 near5 rul\$3	USPAT	OR	OFF	2005/06/02 10:51
S13	2	"5500715".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/02 10:24
S14	1	S13 and (conflict\$4 and deconflict\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/02 10:24
S15	1	S13 and (stor\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/02 10:24
S16	1	S13 and (user near5 interfac\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/02 10:24
S17	1	S13 and (set\$4 near9 user near5 interfac\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/02 10:24

EAST Search History

S18	1	S15 and S14 and S16 and S17	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/02 10:24
S19	1	S18 and chang\$3 same print\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/02 10:24
S20	67	conflict\$4 near5 process\$3 near5 rul\$3	USPAT	OR	OFF	2005/06/02 10:52
S21	0	S20 and (complementary\$3 near5 rul\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/02 10:53
S22	30	S20 and (addition\$5 near5 rul\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/02 10:54
S23	9	S22 and (print\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/02 10:55
S24	24	printer\$3 near5 (set\$4 configur\$4) near6 conflict\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 10:41
S25	30	printer\$3 near5 (set\$4 configur\$4 option\$3) near6 conflict\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 14:00
S26	16	S25 and (complement\$4 near5 rul\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 10:53
S27	2	S25 and (complement\$4 near5 rul\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 10:53

EAST Search History

S28	2	"5467434".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/13 14:00
S29	2	S28 and conflict\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/13 14:00
S30	30	printer\$3 near5 (set\$4 configur\$4 option\$3) near6 conflict\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 14:01
S31	2	S29 and S30	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 14:01
S32	2	S29 and S30 and resol\$4 and rul\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 14:03
S33	1	S29 and S30 and resol\$4 and rul\$4 and avoid\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/17 10:43
S34	2	"6205441".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/17 14:51
S35	2	"6330552".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/17 14:52
S37	2	"5778354".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/17 14:52

EAST Search History

S38	4489	printer\$3 near5 (option\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/21 10:57
S39	33	S38 and (avoid\$4 solv\$4 solution\$4 prevent\$4) near5 conflict\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/21 10:56
S40	30401	printer\$3 near5 (option\$3 set\$3 configur\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/11 11:19
S41	727	S40 same (avoid\$3 prevent\$4 solv\$4 solution\$3) near5 (conflict\$4 problem\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/21 11:16
S42	7781	S40 and (avoid\$3 prevent\$4 solv\$4 solution\$3) near5 (conflict\$4 problem\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/21 11:17
S43	187	S40 and (generat\$3 creat\$3) near5 (avoid\$3 prevent\$4 solv\$4 solution\$3) near5 (conflict\$4 problem\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/21 11:18
S44	14	S40 and (generat\$3 creat\$3) near5 (avoid\$3 prevent\$4 solv\$4 solution\$3) near5 (conflict\$4 problem\$3) near5 (rul\$4 file\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/21 11:19
S45	30402	printer\$4 near5 (option\$3 set\$3 configur\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/21 14:29

EAST Search History

S46	7777	S45 and (avoid\$3 prevent\$3 solv\$3 solution\$3) near5 (problem\$4 conflict\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/21 14:13
S47	8050	S45 and (avoid\$3 prevent\$3 solv\$3 solution\$3 resolv\$3) near5 (problem\$4 conflict\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/21 14:14
S48	16	S47 and ((generat\$4 creat\$4) near5 (rul\$4 fil\$3) near5 (solution\$3 resolv\$3 solv\$3 prevent\$4 avoid\$3) near5 (conflict\$4 problem\$3 discrepen\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/21 14:29
S49	104	S47 and ((generat\$4 creat\$4) near5 (rul\$4 fil\$3) near5 (solution\$3 resolv\$3 solv\$3 prevent\$4 avoid\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/21 16:10
S50	0	S49 and (complementar\$4 near5 (rul\$4 fil\$3) near5 (solution\$3 resolv\$3 solv\$3 prevent\$4 avoid\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/21 14:23
S51	99	S49 and ((rul\$4 fil\$3) near5 (solution\$3 resolv\$3 solv\$3 prevent\$4 avoid\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/21 14:22
S52	0	S49 and (complementar\$4 near5 (rul\$4 fil\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/21 14:23
S53	30	printer\$3 near5 (set\$4 configur\$4 option\$3) near6 conflict\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/21 15:41

EAST Search History

S54	2	printer\$3 near5 (set\$4 configur\$4 option\$3) near6 conflict\$4 near5 (avoid\$4 resolv\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/21 15:42
S55	7	printer\$3 near5 (set\$4 configur\$4 option\$3) near6 problem\$4 near5 (avoid\$4 resolv\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/21 15:43
S56	77	printer\$3 near5 (set\$4 configur\$4 option\$3) near6 rul\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/21 15:45
S57	161	"77" and rul\$3 near5 conflict\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/21 15:46
S58	5	S56 and rul\$3 near5 conflict\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/21 17:42
S59	2	"6263345".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/21 15:50
S60	2	"5978559".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/21 15:53
S61	2	"5999945".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/21 15:54
S62	2	"6024505".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/21 15:55
S63	2	"6388687".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/21 15:57

EAST Search History

S64	2	"6563519".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/21 15:58
S65	183	printer\$4 near5 (process\$3 dirver\$4 option\$3 configur\$3) near5 setup\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/21 15:59
S66	0	printer\$4 near5 (process\$3 dirver\$4 option\$3 configur\$3) near5 setup\$3 near5 conflict\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/21 16:00
S67	0	printer\$4 near5 (process\$3 dirver\$4 option\$3 configur\$3) near5 setup\$3 same conflict\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/21 16:00
S68	10	printer\$4 near5 (process\$3 dirver\$4 option\$3 configur\$3) near5 setup\$3 and conflict\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/21 16:00
S69	6	(US-20020065807-\$).did. or (US-5467434-\$ or US-5500715-\$ or US-5978559-\$ or US-5999945-\$ or US-6804017-\$).did.	US-PGPUB; USPAT	OR	OFF	2005/06/21 16:44
S70	125	conflict\$4 near5 process\$4 near5 rul\$3	US-PGPUB; USPAT	OR	OFF	2005/06/21 16:47
S71	4456	(main\$4 cor\$3) near5 rul\$3	US-PGPUB; USPAT	OR	OFF	2005/06/21 16:45
S72	25	S70 and S71	US-PGPUB; USPAT	OR	OFF	2005/06/21 16:46
S73	4806	(main\$4 cor\$3 principal\$3) near5 rul\$3	US-PGPUB; USPAT	OR	OFF	2005/06/21 16:45
S74	26	S70 and S73	US-PGPUB; USPAT	OR	OFF	2005/06/21 16:46
S75	1119	complementar\$4 near5 rul\$3	US-PGPUB; USPAT	OR	OFF	2005/06/21 16:46
S76	2	S74 and S75	US-PGPUB; USPAT	OR	OFF	2005/06/21 16:46
S77	548	conflict\$4 near5 (process resolv\$4 prevent\$4 solution\$3 solv\$3) near5 rul\$3	US-PGPUB; USPAT	OR	OFF	2005/06/21 16:47

EAST Search History

S78	581	conflict\$4 near5 (process\$3 resolv\$4 prevent\$4 solution\$3 solv\$3) near5 rul\$3	US-PGPUB; USPAT	OR	OFF	2005/06/21 16:48
S79	581	conflict\$4 near5 (process\$3 resolv\$4 prevent\$4 solution\$3 solv\$3) near5 rul\$3	US-PGPUB; USPAT	OR	OFF	2005/06/21 16:51
S80	3	S78 and S75	US-PGPUB; USPAT	OR	OFF	2005/06/21 16:48
S81	60	S79 and S73	US-PGPUB; USPAT	OR	OFF	2005/06/21 16:51
S82	9	S81 and printer\$3	US-PGPUB; USPAT	OR	OFF	2005/06/21 16:51
S83	77	printer\$3 near5 (set\$4 configur\$4 option\$3) near6 rul\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/21 17:42
S84	5	S83 and rul\$3 near5 conflict\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/22 09:53
S85	12093	print\$3 near5 option\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 10:50
S86	1056	S85 and (stat\$4 near5 two)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 10:22
S87	0	S86 and (ivers\$4 near5 logic\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 10:22
S88	11	S86 and (invers\$4 near5 logic\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 10:33

EAST Search History

S89	23	print\$3 near5 option\$3 near5 rul\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 10:33
S90	9174	(invers\$4 near5 logic\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 10:33
S91	0	S89 and S90	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 10:33
S92	327	print\$3 near5 set\$3 near5 rul\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 10:34
S93	3	S90 and S92	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 10:34
S94	36	S85 and local\$3 near5 rul\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 10:42
S95	1	S94 and universal\$3 near5 rul\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 10:43
S96	1	S94 and general\$3 near5 rul\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 10:43

EAST Search History

S97	603	print\$3 near5 option\$3 near5 menu	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 10:51
S98	7	S97 and (conflict\$4 near5 resolv\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 10:51
S99	0	"5500715.pn" and (option same print\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 13:44
S10 0	0	"5500715.pn." and (option same print\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 13:44
S10 1	0	"5500715.pn." and (menu same print\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 13:45
S10 2	0	"5500715.pn." and (interface same option\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 13:45
S10 3	0	"5500715.pn." and (interface same menu\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 13:45
S10 4	0	"5500715.pn." and (interface)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 13:46

EAST Search History

S10 5	0	"5500715.pn."	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 13:46
S10 6	2	"5500715".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 13:46
S10 7	0	"5500715""pn.14" and ((menu option) same interface\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 13:47
S10 8	0	"5500715""pn.14" and (menu option)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 13:46
S10 9	1	S106 and ((menu option) same interface\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 14:06
S11 0	1	S106 and ((resol\$3 deconflict\$3) same conflict\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 13:53
S11 1	0	S106 and (chang\$4 same interface\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 14:06
S11 2	0	S106 and (updat\$4 same interface\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 14:06

EAST Search History

S11 3	1	S106 and (modif\$4 same interface\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 14:06
S11 4	2	"5500715".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/11 11:16
S11 5	2	"5500715".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/11 11:16
S11 6	2	printer\$3 near5 (option\$3 set\$3 configur\$3 rul\$3) near5 (complement\$4 solution\$3 updat\$4 chang\$3 modif\$3) near5 conflict\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/11 11:29
S11 7	1395	printer\$3 near5 (option\$3 set\$3 configur\$3 rul\$3) near5 (complement\$4 solution\$3 updat\$4 chang\$3 modif\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/11 11:26
S11 8	1	S117 and (invers\$3 near logic\$3) near5 state\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/11 11:27
S11 9	4	S117 and (invers\$3 near logic\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/11 11:28
S12 0	4	S117 and (conver\$3 near logic\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/11 11:28

EAST Search History

S12 1	1395	printer\$3 near5 (option\$3 set\$3 configur\$3 rul\$3) near5 (complement\$4 solution\$3 updat\$4 chang\$3 modif\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/11 13:45
S12 2	9	S121 and (counter\$3 opposit\$3 contrar\$) near5 (rul\$3 solution\$3 complemt\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/11 11:35
S12 3	29	printer\$3 near5 (option\$3 set\$3 menu configur\$3 rul\$3) near5 (conflict\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/11 14:12
S12 4	1	S123 and (invers\$3 opposit\$3) near5 rul\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/11 13:56
S12 5	35134	printer\$3 near5 (option\$3 set\$3 menu configur\$3 rul\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/11 15:22
S12 6	1	S125 and (generat\$3 creat\$4 develop\$3) near5 complement\$4 near5 invers\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/11 16:01
S12 7	1750	S125 and (generat\$3 creat\$4 develop\$3) near5 (complement\$4 solution\$4 resolution\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/11 14:03
S12 8	59107	(invers\$3 opposit\$4) near5 (function\$3 logic\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/11 15:16

EAST Search History

S12 9	82	S127 and S128	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/11 14:10
S13 0	1	inferenc\$3 near5 generat\$3 near5 (invers\$3 opposit\$3) near5 (logic\$3 rul\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/11 14:12
S13 1	898	generat\$3 near5 (invers\$3 opposit\$3) near5 (logic\$3 rul\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/11 15:50
S13 2	149	printer\$3 near5 (conflict\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/11 14:12
S13 3	1	S131 and S132	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/11 14:13
S13 4	35134	printer\$3 near5 (option\$3 set\$3 menu configur\$3 rul\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/11 14:14
S13 5	7	S131 and S134	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/11 14:13
S13 6	98	S131 and printer\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/11 15:20

EAST Search History

S13 7	72	S136 and @ad<"20001212"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/11 14:28
S13 8	442	(set\$3 configur\$3 option\$2 menu control\$3) near5 stat\$3 near5 conflict\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/11 14:30
S13 9	42	S128 and S138	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/11 14:27
S14 0	13	S139 and @ad<"20001212"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/11 14:31
S14 1	12168	(set\$3 configur\$3 option\$2 menu control\$3) near5 conflict\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/11 14:31
S14 2	406	S141 and S128	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/11 14:31
S14 3	72	S142 and printer\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/11 14:31
S14 4	30	S143 and @ad<"20001212"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/11 14:35

EAST Search History

S14 5	4	(invers\$3 opposit\$4) near5 (function\$3 logic\$3) near5 complement\$4 near5 rul\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/11 15:23
S14 6	0	(invers\$3 opposit\$4) near5 (function\$3 logic\$3) near5 (solution\$3 resolv\$4) near5 rul\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/11 15:20
S14 7	1	(invers\$3 opposit\$4) near5 (function\$3 logic\$3) near5 (conflict\$4) near5 rul\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/11 15:20
S14 8	0	(invers\$3 opposit\$4) near5 (function\$3 logic\$3) near5 (resolution\$4) near5 rul\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/11 15:20
S14 9	282	(invers\$3 opposit\$4) near5 (function\$3 logic\$3) near5 (solution\$3 resolv\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/11 15:20
S15 0	18	S149 and printer\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/11 16:01
S15 1	53	S125 and (resolv\$4 solution\$3 complement\$4) near5 rul\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/11 15:23
S15 2	2	S151 and (invers\$3 opposit\$4) near5 (function\$3 logic\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/11 15:24

EAST Search History

S15 3	0	print\$3 near5 (set\$3 configur\$3 menu\$3) near5 discrepenc\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/11 15:33
S15 4	21	print\$3 near5 (set\$3 configur\$3 menu\$3) near5 discrepan\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/11 15:39
S15 5	2	"5467434".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/11 15:40
S15 6	2	generat\$3 near5 (invers\$3 opposit\$3) near5 (logic\$3 rul\$3) near5 solution\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/11 15:51
S15 7	0	generat\$3 near5 (invers\$3 opposit\$3) near5 (logic\$3 rul\$3) near5 resolution\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/11 15:52
S15 8	22	generat\$3 near5 (invers\$3 opposit\$3) near5 (logic\$3 rul\$3) near5 complement\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/11 15:55
S15 9	4	generat\$3 near5 (invert\$3 opposit\$3) near5 logic\$3 near5 rul\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/11 15:59
S16 0	2830	generat\$3 near5 (invert\$3 opposit\$3) near5 logic\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/11 15:59

EAST Search History

S16 1	2627	generat\$3 near5 (invert\$3) near5 logic\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/11 15:59
S16 2	2	S161 and (complement\$4 near5 rul\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/11 16:00
S16 3	189	(generat\$3 creat\$4 develop\$3) near5 complement\$4 near5 invers\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/11 16:03
S16 4	32	S163 and printer\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/11 16:01
S16 5	25	(generat\$3 creat\$4 develop\$3) near5 complement\$4 near5 invers\$3 near5 logic\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/11 16:03
S16 6	2	"6922700".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 11:26